Long Island Power Authority

Statement of Market Energy Prices

Applicable to Service Classification No. 11 and Net Metering Customers as set forth in the Tariff for Electric Service

1. Monthly LBMP

| Transmission (3) | \$ 0.0624 | per kWh |
|-----------------------|-----------|---------|
| Subtransmission (4) | \$ 0.0628 | per kWh |
| Secondary Voltage (1) | \$ 0.0649 | per kWh |
| Primary Voltage (2) | \$ 0.0636 | per kWh |

2. Time-of-Use LBMP

| Residential and Small Commercial | Secondary Voltage (1) | | |
|----------------------------------|-----------------------|---------|--|
| Period 1 | \$ - | per kWh | |
| Period 2 | \$ 0.0605 | per kWh | |
| Period 3 | \$ - | per kWh | |
| Period 4 | \$ 0.0748 | per kWh | |

| Large Commercial | Secondary Volt | tage (1) | Primary Vo | ltage (2) | Transmission | Voltage (3) | Subtransmission | on Voltage (4) |
|------------------|----------------|----------|------------|-----------|--------------|-------------|-----------------|----------------|
| Period 1 | \$ 0.0525 p | er kWh | \$ 0.0514 | per kWh | \$ 0.0505 | per kWh | \$ 0.0508 | per kWh |
| Period 2 | \$ - p | er kWh | \$ - | per kWh | \$ - | per kWh | \$ - | per kWh |
| Period 3 | \$ 0.0700 p | er kWh | \$ 0.0686 | per kWh | \$ 0.0673 | per kWh | \$ 0.0678 | per kWh |

3. Time-of-Use LBMP VTOU Residential and Small Commercial

Secondary Voltage (1)

| | Super Off Peak | <u>Peak</u> | Off Peak | |
|----------|----------------------------|-----------------------|----------|---------|
| Rate 190 | \$0.0524 | \$0.0924 | \$0.0677 | per kWh |
| Rate 191 | \$0.0527 | \$0.0908 | \$0.0665 | per kWh |
| Rate 192 | \$0.0524 | \$0.0865 | \$0.0677 | per kWh |
| Rate 292 | \$0.0513 | \$0.0865 | \$0.0671 | per kWh |
| Rate 193 | <u>Daytime</u> \$0.0705 | Nighttime \$0.0513 | | per kWh |

- (1) Adjusted to reflect loss factor multiplier of 1.0619 at the secondary voltage level per Statement No. 4-EDL
- (2) Adjusted to reflect loss factor multiplier of 1.0407 at the primary voltage level per Statement No. 4-EDL
- (3) Adjusted to reflect loss factor multiplier of 1.0219 at the transmission voltage level per Statement No. 4-EDL
- (4) Adjusted to reflect loss factor multiplier of 1.0288 at the subtransmission voltage level per Statement No. 4-EDL

Effective: November 1, 2021